

MATERIAL SAFETY DATA SHEET

DATE PREPARED **JANUARY 3, 2009**

SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

PRODUCT IDENTITY

ICE AWAY ICE MELTER

DISTRIBUTOR'S NAME

CP INDUSTRIES 560 NORTH 500 WEST SALT LAKE CITY, UT 84116 (801) 521-0313 EMERGENCY 24 HOUR NUMBER 800-453-4931

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

THIS PRODUCT IS NON-HAZARDOUS

SUBSTANCE DESCRIPTION	CAS#
Sodium Chloride	7647-14-5
Calcium Magnesiun Acetate (Cma)	76123-46-1
Sodium Silicates	1344-09-8
H ₂ NCONH ₂	57-13-6
Ethanol Amines	102-71-6
Sodium Acetate	6131-90-4
Potassium Acetate	127-08-2

HAZARD RATINGS:

HEALTH 1-SLIGHT FIRE 0 - LEAST

REACTIVITY 0 - LEAST

SECTION 3. HAZARDS IDENTIFICATION

APPEARANCE AND ODOR

Pink free flowing granules

STATEMENT OF HAZARDS

Contact may cause eye and skin irritation

FIRE AND EXPLOSION HAZARDS

Not Flammable

PRIMARY ROUTE OF EXPOSURE

Skin and eye contact are the primary routes of exposure to this product.

SKIN CONTACT - ACUTE

Skin contact may cause mild irritation.

EYE CONTACT – ACUTE

Eye contact can cause irritation

INHALATION - ACUTE

This product is not likely to present an inhalation hazard at normal temperatures, however this product can be stirred up to an irritating dust and at elevated temperatures, vapors, mist or fumes can cause irritation to the respiratory tract.

INGESTION - ACUTE

Can cause irritation of mucous membranes

SECTION 4. FIRST AID MEASURES

INHALATION FIRST AID

Inhalation is unlikely; however, if it does occur, remove victim to fresh air. If not breathing, give artificial respiration. If breathing is difficult, administer oxygen. Get medical attention

SKIN CONTACT FIRST AID

Wash off with water. If irritation persists seek medical attention.

EYE CONTACT FIRST AID

Immediately flush with plenty of water for at least 15 minutes holding eyelids apart to ensure flushing of entire eye surface. Seek medical attention.

INGESTION FIRST AID

If swallowed do not induce vomiting. Give large quantities of water. Seek medical attention.

SECTION 5. FIRE FIGHTING MEASURES

FLASH POINTGreater than 212.0 F100.0 C

FLASH METHOD Pensky-Marten's Closed Cup

AUTO IGNITION TEMPERATURE

Greater than 302.0 F 150.0 C

UPPER EXPLOSION LIMIT N/D

LOWER EXPLOSION LIMIT N/D

EXTINGUISHING MEDIA

Regular foam, dry chemical or carbon dioxide. Direct application of high pressure water streams may scatter burning material.

FIRE FIGHTING PROCEDURE

As in any fire, prevent human exposure to fire, smoke, fumes, or products of combustion. Evacuate nonessential personnel from the fire area. Firefighters should wear positive pressure/pressure demand, selfcontained breathing apparatus and impervious protective clothing. If possible remove containers from the fire area. Keep fire exposed containers cool with a water fog or spray to prevent excessive heat. High pressure water may spread product from broken containers increasing contamination or fire hazard.

FIRE AND EXPLOSION HAZARD

This product is not defined as flammable or combustible, however under fire conditions it may support combustion and produce toxic oxides of carbon and various hydrocarbons.

OTHER FIRE AND EXPLOSION HAZARDS

No other fire or explosion hazards of this product are known.

NFPA HEALTH RATING	NFPA FLAMMABILITY RATING	NFPA REACTIVITY RATING
1	0	0

SECTION 6. ACCIDENTAL RELEASE MEASURES

CLEANUP

Clean up spills by sweeping up or shoveling up material. Then flush spill area with water.

SECTION 7. HANDLING AND STORAGE

HANDLING

Wear protective equipment when handling this product to avoid eye and skin contact. Wash thoroughly after handling.

STORAGE

Containers should be stored in cool dry well ventilated area away from strong oxidizing agents.

MAXIMUM STORAGE TEMPERATURE

120.0 F 49.0 C see general comments

GENERAL COMMENTS

Keep containers tightly closed until ready for use. The stated maximum storage temperature is for quality purposes only. Temperatures exceeding 120 f may cause color degradation, and an overall decrease in product quality.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION

Dust mask if dust is excessive.

SKIN PROTECTION

Gloves should be worn when excessive skin contact cannot be avoided.

EYE PROTECTION

Eye protection is recommended in all industrial work places.

FOR EXPOSURE LIMITS SEE SECTION 11.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Boiling Range	N/D	Vapor Density (Air = 1.0)	N/D
Density	1.1 G/Cm3	Percent Volatile Matter	N/D
Evaporation Rate	N/D	Solubility In Water	About 15%
Appearance	White Granular	Odor	Citrus
Ph	N/D		

SECTION 10. STABILITY AND REACTIVITY

Stability
Conditions to Avoid
Incompatibility
Decomposition
Polymerization

Stable Exposure to high temperatures Strong oxidizing agents Toxic oxides of carbon and hydrocarbons Hazardous polymerization will not occur

SECTION 11. TOXICOLOGICAL INFORMATION

Although No Specific Exposure Limit Has Been Established For This Product OSHA And ACGIH Have Established Limits For Nuisance Dust:

OSHA PEL/TWA	Total 15 Mg/M3; Respirable 5 Mg/M3; 8-Hour Twa
ACGIH TLV/TWA	Total 10 Mg/M3; 8 Hour Twa
Eye Contact	painful inflammation/reversible damage with prompt first aid.
Inhalation	nuisance dust irritating to nose, throat, and lungs.
Skin Contact	prolonged continual exposure can be irritating.
Ingestion	ingestion may cause gastrointestinal irritation.
Chronic	no evidence of adverse effects from available information.

SECTION 12. ECOLOGICAL INFORMATION

This product is thought to be biodegradable under most definitions of the term.

SECTION 13. DISPOSAL CONSIDERATIONS

This product and/or its components are found in many consumer food, drug, and cosmetic items. Release to sanitary sewer in small amounts is inherent with these end uses. No disposal method should be used which would pose and environmental or human health threat including and which would contaminate ground or surface waters.

SECTION 14. TRANSPORT INFORMATION

HAZARD CLASS Non Hazardous

SECTION 15. REGULATORY INFORMATION

OSHA CATEGORY: Non Hazardous SARA 313 SUPPLIER NOTIFICATION: Not Reportable ALL INGREDIENTS ARE LISTED ON THE TSCA INVENTORY

SECTION 16. OTHER INFORMATION

SPECIAL PRECAUTIONS OR OTHER COMMENTS

Containers of this material may be hazardous when emptied since emptied containers retain product residues (vapor, liquid, and/or solid), all hazard precautions given in the data sheet must be observed.

SPECIAL PRECAUTIONS OR OTHER COMMENTS

The information accumulated herein is believed to be accurate but is not warranted to be regardless of whom it originates with. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.